


CLIPPER

MOTOR YACHTS



CLIPPER HUDSON BAY 50

SPECIFICATIONS

I.1 PRINCIPAL PARTICULARS

Length Overall.....	15.06 m	49 ft 5 in
Beam O.A.....	4.70 m	15 ft 5 in
Draught.....	1.06 m	3 ft 6 in
Displacement.....	20.9 Ton	
Water Capacity.....	567 LITRES	150 US Gallons
Fuel Capacity.....	1892 LITRES	500 US Gallons
Holding tank.....	189 LITRES	50 US Gallons

I.2 Hull, Superstructure and Exterior

- Hand-laid, white gelcoated FRP hull
- Vacuum bagged form cored hull above waterline
- Solid FRP lamination below waterline and first three (3) layers in vinylester resin
- Bottom protected in three (3) coats epoxy barrier treatment and two (2) coats of anti-fouling (International)
- Black boot stripe and black anti fouling paint
- Vacuum bagged Honeycomb cored deck and superstructure
- White non-skid FRP decks
- FRP manual folding radar mast
- S/S capped rubrail
- Ventilation S/S Manship® hatches on fwd. cabin top
- Cockpit entry from transom in two (2) S/S gates with Clipper® logo
- Cockpit seating on port side with table
- Frameless windows
- Tinted window glass in grey colour
- Bronze seacocks

I.3 Engine Room & Electrical System

- Twin Yanmar 480HP Engines
- Onan® 11KW 50 HZ generator with gas/water separator
- AC/DC engine room lights
- Two (2) engine room blowers
- Racor® fuel filters for engines and generator, single bowl
- Aqua® oversized marine shafts
- Fresh water outlet with hose in engine room
- Two Rule® 2000 bilge pumps in fwd. & aft engine room, automatic and manual switches
- Two Rule® 1500 bilge pumps in other compartments, automatic and manual switches
- Seacocks and sea strainers on engine raw water intakes
- FRP fuel tanks with sight gauges, inspection plates and drains at bottom
- S/S water tanks with sight gauges, inspection

plates and drains at bottom

- 20gal water heater with heat exchanger
- AC waterproof outlets
- 12V automatic fresh water pump, Jabsco® combined unit
- Holding tank with macerate pump, plumbed for dockside and overboard discharge
- Shower sump with automatic pump
- Newmar® 40A automatic marine battery charger
- Two lead acid 200 AH and one 100 AH batteries with FRP boxes for engines and generator
- Two lead acid 200 AH batteries with FRP box for house service
- 12V lights in all compartments
- AC/DC electric control & distribution panels w/circuit breakers BEP®
- AC/DC Volt and AMP meters
- Shore power connector, one on stern
- BEP® motorized battery paralleling system with control switches
- Bonded electrical system
- Fusion CD/Radio with 8 speakers in 4 zones, MS-CD 600G CD/AM/FM/Sirus MP3 grey X 1
- MS-IPODG- 1 Pod dock Grey X 1
- MS-WR100C—Remote control X 1
- MS - A M 7 0 R — A m p l i f i e r X 2
- MS - F R 7 0 2 – S p e a k e r X 6
- MS-WR100Y-Remote Cable X 1
- MS-WRext20-Remote cable extension X 2
- Pre wire for TV
- High water engine room bilge alarm with mimic panel
- Central draining system & S/S thru hull fittings above water line when equipped
- Emergency Tiller
- One manual Bilge Pump
- Double insulated cable for AC wiring
- RCD for AC socket protection
- Isolation switches for engine room AC equipments

I.4 Control and Navigation

- One control station
- International navigation lights
- Complete engine instruments
- Electronic throttle and gear control
- Single station hydraulic steering system
- Marine air horn
- Engine alarm system for high temp & low oil pressure
- High bilge water alarm
- Automatic engine room fire Extinguisher system

I.5 Accommodations and Interior

- Afromosia paneling and cabinets
- Cream colour soft vinyl headliners attached with 3M® Velcro
- Solid wood flooring interior
- Gold or chrome colouring hardware
- Interior finish in satin varnish
- Draperies
- Gewiss® Switches and outlets
- Southco® door locks or similar quality
- ManShip® or similar quality push locks for cabinetry in gold or chrome colour
- Cantalupi® spot lights Diana 85 throughout
- Large non opening hull window (Opening in S/S optional)

I.6 Helm Area

- Steering station
- Marine Tech® SY Voyager low back helm chair with plinth slider & footrest
- Solid wood flooring
- Curtains for side windows
- Bench seat in Ultra leather® with drop down table to make extra berth
- Electronic engine controls
- Cigarette lighter DC outlet
- Afromosia/Burl or Ultra leather® on helm station control area
- Clipper® custom wheel
- Two S/S cup holders

I.8 Galley

- Solid wood flooring
- Exhaust blower
- S/S double sink
- Single lever hot and cold water faucet

- Storage cabinets and drawers for cups/plates and crockery
- Overhead lockers
- Flip up window to cockpit on port side & fixed on stbd side
- Granite counter tops
- Isotherm® CR200SS refrigerator
- Smeg® microwave/convection oven
- Smeg® electric 4 burner cooktop
- Ultra leather® covered settee on opposite of galley
- 2 piece saloon AFT door both slide to stbd side

I.9 Forward Master Stateroom

- Large queen berth with fabric cover
- Large dressing mirror with Aqua Signal® mirror light
- Hanging locker with auto lighting
- Oval portlights with screens
- Cedar paneling in hanging locker
- Reading lights
- Storage under queen berth, gas operated lift
- Southco® door locks or equivalent quality

2.0 Stbd Guest Stateroom

- Hi-Lo berth with fabric cover
- Oval portlight with screen
- Hanging locker with auto lighting
- Shelf on both sides of hull
- Mirror
- Reading lights

2.1 Port Guest Stateroom

- Double berth with fabric cover
- Oval portlight with screen
- Hanging locker with auto lighting
- Mirror
- Reading lights

2.2 Heads

- Tecma® silence plus electric toilets
- Stall showers for heads with frosted tempered glass and Clipper ® logo
- Modern sinks with hot and cold water faucets
- Medicine cabinet
- Mirrors
- Vent blowers
- Granite floor
- Bathroom fittings for local towels/cups/toilette holder etc

All weights & measurements are approximate.

Clipper Motoryachts Limited reserves the right to alter prices and specifications subject to currency exchange rates. Please check with Clipper Motoryachts Limited to confirm current validity. Clipper Motoryachts Limited will not be liable "in contract or otherwise" for any loss resulting from the inaccuracy of any information contained in this document. Safety equipment - each state or Territory has different safety equipment standards it is important to ensure the requirements in your jurisdiction are met prior to the vessel being used. Appropriate deposits paid to Clipper Motoryachts Limited at time of order will establish firm pricing. ****denotes tank capacity. For useable capacity do not rely on more than 90% of tank capacity. Actual usual capacity will vary according to boat trim and sea state

2.3 Exterior Hardware and Fittings

- S/S #316 single anchor roller
- S/S #316 stanchions 1½"
- S/S #316 Clipper® logo mooring cleats & chocks
- Hawse pipe with cleat for cockpit
- S/S #316 hand rails
- S/S #316 fuel, water and waste tank deck fittings
- S/S #316 swimming ladder
- Sea water washdown on forward deck & cockpit
- Transom shower hot and cold
- Exalto® single panel windshield wipers and washers
- Bronze through hull fittings for under water area
- Zinc for bonding system
- FRP swimming platform
- Storage in transom or for optional hidden davit
- Cockpit wetbar, BBQ and ice maker with refrigerator
- Windlass, Muir® SSC 2200 with chain counter & chain stopper
- 200' 10mm DIN chain
- 60lbs S/S CQR type anchor
- Exterior cushions in Sunbrella®
- Bow and stern flag staffs
- Hatch in cockpit for entry to engine room

